



DDSE 2-Tool Rework Station

This Plug & Play Guide corresponds to the following references:

Ref.

DDSE-9QD (100 V)
DDSE-1QD (120 V)
DDSE-2QD (230 V)

Station

More Information on the
product web page



Packing List

The following items are included according purchased station reference:



DDE
2-Tool Control Unit 1 unit
 Ref. DDE-9C (100 V)
 Ref. DDE-1C (120 V)
 Ref. DDE-2C (230 V)

T245
General Purpose Handle 1 unit
 Ref. T245-A

DR560
Desoldering Iron 1 unit
 Ref. DR560-A



MSE
Electric Desoldering Module 1 unit
 Ref. MSE-A

ADS
Stand for T210 & T245 Handles 1 unit
 Ref. AD-SF

DRS
Stand for DR560 1 unit
 Ref. DR-SF




SCH
Cartridge Holder 1 unit
 Ref. SCH-A

Installation

DDE
2-Tool
Control Unit



Power Cord
 Included in DDE Control Unit



Installation

DDE
2-Tool Control Unit



C245
Cartridge Range



Module Cable
Ref. 0024228




DR560
Desoldering Iron

C560
Tip Range



Suction Filter
Ref. 0821830



Specifications

DDSE

2-Tool Rework Station

Ref. **DDSE-9QD** (100 V)

Ref. **DDSE-1QD** (120 V)

Ref. **DDSE-2QD** (230 V)

- Package Dimensions / Weight:
(L x H x W)

525 x 318 x 347 mm / 12.40 kg

20.67 x 12.52 x 13.66 in / 27.34 lb

Complies with CE standards.

ESD safe.

JBC

Warranty

Get 2 year JBC warranty by registering here:
<https://www.jbctools.com/productregistration/>
within 30 days of purchase.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.

www.jbctools.com

0030443-060524